




Mondrian® Plus 80 Pavers

Techniseal Sand 1 Bag - Approx. 53 ft² coverage

-  **Pedestrian** - Designed to withstand pedestrian traffic
-  **Vehicular** - Designed to withstand car traffic
-  **Permeable** - Designed to allow runoff to pass through



Mondrian® Plus 80 Pavers


	Dimensions (mm)	Dimensions (in)
A	80 x 330 x 165	3 1/8 x 13 x 6 1/2
B	80 x 330 x 330	3 1/8 x 13 x 13
C	80 x 330 x 495	3 1/8 x 13 x 19 1/2
Weight/unit (avg.)	18 kg	40 lb
Units/area (avg.)	9.17 units/m ²	0.85 units/ft ²
Area/layer	0.98 m ²	10.55 ft ²
Area/cube	8.82 m²	9 Rows 94.95 ft²
Qty/cube	A = 36 B = 36 C = 18	
Length/layer	2.97 lin. m	9.75 lin. ft
Length/cube	26.73 lin. m	87.75 lin. ft
Weight/cube	1680 kg	3704 lb

Colours


Codes	Colours
PRESTIGE COLOURS	
10551161	Rockland Black*
10551159	Range Margaux Beige
10551158	Range Amboise Beige
10550461	Range Scandina Grey
STANDARD COLOURS	
10551156	Range Norvick Grey
10550456	Range Penfield Brown*
10551162	Range Laurentia Grey*
10551160	Range Newport Grey

Can be double stacked
Sold in full cubes only
Production location – Mississauga
* Products available while supplies last


Typical row



Laying Patterns



MONDRIAN PLUS 80
LINEAR PATTERN



MONDRIAN PLUS 80
MODULAR PATTERN

Notes

Setting of joint-filling sand: Cover the vibrating plate with a removable rubber tread (neoprene or polypropylene).

Cover the snow removal tools with Teflon or neoprene protectors to minimize the risk of damage from scratches or concrete shards.

Laying patterns: These laying patterns are by way of example only and represent only a few of many possibilities. Permacon shall not be responsible for the excess or shortage of pavers resulting from installation according to these laying patterns.

Additional details specific to this product are available by consulting our landscaping installation guide on our website (Permeable pavement section).